

IN THE CLAIMS:

1. (Previously presented) A computer-implemented method of generating a security object for use in authenticating a user to access an item, comprising computer-implemented steps of:
receiving security object data;
setting one or more attributes associated with the security object data, wherein the one or more attributes include a user designation of a security object type; and
encapsulating, within the security object, the security object data and the one or more attributes with one or more methods, wherein the security object is used to authenticate the user by validating an identity of the user using at least one of the one or more methods encapsulated within the security object.
2. (Previously presented) The computer-implemented method of claim 1, further comprising obtaining the one or more methods from a security object class.
3. (Previously presented) The computer-implemented method of claim 1, wherein the one or more methods operate on the security object data and one or more attributes.
4. (Previously presented) The computer-implemented method of claim 1, wherein the one or more methods operate on the security object data and input data provided by the user and passed to the security object to authenticate the user to access the item.
5. (Previously presented) The computer-implemented method of claim 1, wherein the security object data is one of textual data, audio data, graphical data, and biometric data.
6. (Previously presented) The computer-implemented method of claim 1, wherein the security object type is one of a single use security object, a group security object, a timed security object, a concurrent multi-user security object, a security object throttle, a translated password security object, a security object augmented by at least one of a CPU identifier, a CPU speed and a system configuration, a Wave file or MP3 security object, an image file security object, a security object augmented by a location of the user, a security object augmented by a current window and/or pointer position, a security object augmented by an IP address, a security object augmented by a screen background characteristic, a security object augmented by a personal identification number one of a speed of a card swipe and a number of times of a card swipe, a security object augmented by a mobile telephone ring or mobile telephone identification number, a security object augmented by a caller identification of the user, and a security object augmented by an environmental condition.

7. (Previously presented) The computer-implemented method of claim 1, further comprising:
providing the security object to a security system, wherein the security system is a hardware data processing system that stores the security object and associates the security object with a user identification so that the security object may be retrieved when the user enters their identification in order to gain access to the item.
8. (Previously presented) The computer-implemented method of claim 7, wherein the security system invokes the security object in response to a request for access to the item by the user.
9. (Previously presented) The computer-implemented method of claim 1, storing the security object data on an electronic medium in a device with data transmission capability.
10. (Previously presented) The computer-implemented method of claim 9, wherein the device is a portable device.
11. (Previously presented) The computer-implemented method of claim 9, wherein the portable device is one of a keychain, a portable MP3 player, a mobile telephone, a pager, an electronic wrist watch, a remote control, a garage door transmitter, a keyless entry device for a vehicle, a smartcard, and a magnetic stripe card.
12. (Previously presented) The computer-implemented method of claim 7, wherein the security object contains a partial set of methods and wherein the security system contains a complementary set of methods.
13. (Previously presented) The computer-implemented method of claim 1, wherein the security object requires hardware assistance for authentication of input data passed to the security object.
14. (Previously presented) The computer-implemented method of claim 1, wherein the security object data is received from a client apparatus.
15. (Previously presented) The computer-implemented method of claim 1, wherein the security object data is received from a user via a user interface.

16. (Previously presented) The computer-implemented method of claim 15, wherein the user interface is a security object foundry application resident on a computing device.

17. (Previously presented) The computer-implemented method of claim 15, wherein the user interface is an interface transmitted from a server apparatus to a client apparatus.

18. (Previously presented) A computer program product in a computer readable medium for generating a security object for use in authenticating a user to access an item, comprising:

first instructions for receiving security object data;

second instructions for setting one or more attributes associated with the security object data,

wherein the one or more attributes include a user designation of a security object type; and

third instructions for encapsulating, within the security object, the security object data and the one or more attributes with one or more methods, wherein the security object is used to authenticate the user by validating an identity of the user using at least one of the one or more methods encapsulated within the security object.

19. (Original) The computer program product of claim 18, fourth instructions for obtaining the one or more methods from a security object class.

20. (Original) The computer program product of claim 18, wherein the one or more methods operate on the security object data and one or more attributes.

21. (Previously presented) The computer program product of claim 18, wherein the one or more methods operate on the security object data and input data provided by the user and passed to the security object to authenticate the user to access the item.

22. (Original) The computer program product of claim 18, wherein the security object data is one of textual data, audio data, graphical data, and biometric data.

23. (Original) The computer program product of claim 18, wherein the security object type is one of a single use security object, a group security object, a timed security object, a concurrent multi-user security object, a security object throttle, a translated password security object, a security object augmented by at least one of a CPU identifier, a CPU speed and a system configuration, a Wave file or MP3 security object, an image file security object, a security object augmented by a location of the user, a security object augmented by a current window and/or pointer position, a security object augmented by an

IP address, a security object augmented by a screen background characteristic, a security object augmented by a personal identification number and one of a speed of a card swipe and a number of times of a card swipe, a security object augmented by a mobile telephone ring or mobile telephone identification number, a security object augmented by a caller identification of the user, and a security object augmented by an environmental condition.

24. (Previously presented) The computer program product of claim 18, further comprising:

fourth instructions for providing the security object to a security system, wherein the security system is a hardware data processing system that stores the security object and associates the security object with a user identification so that the security object may be retrieved when the user enters their identification in order to gain access to the item.

25. (Previously presented) The computer program product of claim 24, wherein the security system invokes the security object in response to a request for access to the item by the user.

26. (Original) The computer program product of claim 18, further comprising fourth instructions for storing the security object data on an electronic medium in a device with data transmission capability.

27. (Original) The computer program product of claim 18, further comprising fourth instructions for storing the security object data in a portable device.

28. (Original) The computer program product of claim 27, wherein the portable device is one of a keychain, a portable MP3 player, a mobile telephone, a pager, an electronic wrist watch, a remote control, a garage door transmitter, a keyless entry device for a vehicle, a smartcard, and a magnetic stripe card.

29. (Original) The computer program product of claim 24, wherein the security object contains a partial set of methods and wherein the security system contains a complementary set of methods.

30. (Original) The computer program product of claim 18, wherein the security object requires hardware assistance for authentication of input data passed to the security object.

31. (Original) The computer program product of claim 18, wherein the security object data is received from a client apparatus.

32. (Original) The computer program product of claim 18, wherein the security object data is received from a user via a user interface.
33. (Original) The computer program product of claim 32, wherein the user interface is a security object foundry application resident on a computing device.
34. (Original) The computer program product of claim 32, wherein the user interface is an interface transmitted from a server apparatus to a client apparatus.
35. (Previously presented) An apparatus for generating a security object for use in authenticating a user to access an item, comprising:
- means for receiving security object data;
 - means for setting one or more attributes associated with the security object data, wherein the one or more attributes include a user designation of a security object type; and
 - means for encapsulating, within the security object, the security object data and the one or more attributes with one or more methods, wherein the security object is used to authenticate the user by validating an identity of the user using at least one of the one or more methods encapsulated within the security object.
36. (Original) The apparatus of claim 35, means for obtaining one or more methods from a security object class.
37. (Original) The apparatus of claim 35, wherein the one or more methods operate on the security object data and one or more attributes.
38. (Previously presented) The apparatus of claim 35, wherein the one or more methods operate on the security object data and input data provided by the user and passed to the security object to authenticate the user to access the item.
39. (Original) The apparatus of claim 35, wherein the security object data is one of textual data, audio data, graphical data, and biometric data.
40. (Original) The apparatus of claim 35, wherein the security object type is one of a single use security object, a group security object, a timed security object, a concurrent multi-user security object, a security object throttle, a translated password security object, a security object augmented by a at least

one of a CPU identifier, a CPU speed and a system configuration, a Wave file or MP3 security object, an image file security object, a security object augmented by a location of the user, a security object augmented by a current window and/or pointer position, a security object augmented by an IP address, a security object augmented by a screen background characteristic, a security object augmented by a personal identification number and one of a speed of a card swipe and a number of times of a card swipe, a security object augmented by a mobile telephone ring or mobile telephone identification number, a security object augmented by a caller identification of the user, and a security object augmented by an environmental condition.

41. (Previously presented) The apparatus of claim 35, further comprising:

means for providing the security object to a security system, wherein the security system is a hardware data processing system that stores the security object and associates the security object with a user identification so that the security object may be retrieved when the user enters their identification in order to gain access to the item.

42. (Previously presented) The apparatus of claim 41, wherein the security system invokes the security object in response to a request for access to the item by the user.

43. (Original) The apparatus of claim 18, further comprising means for storing the security object data on an electronic medium in a device with data transmission capability.

44. (Original) The apparatus of claim 43, wherein the device is a portable device.

45. (Original) The apparatus of claim 44, wherein the portable device is one of a keychain, a portable MP3 player, a mobile telephone, a pager, an electronic wrist watch, a remote control, a garage door transmitter, a keyless entry device for a vehicle, a smartcard, and a magnetic stripe card.

46. (Original) The apparatus of claim 41, wherein the security object contains a partial set of methods and wherein the security system contains a complementary set of methods.

47. (Original) The apparatus of claim 35, wherein the security object requires hardware assistance for authentication of input data passed to the security object.

48. (Original) The apparatus of claim 35, wherein the security object data is received from a client apparatus.

49. (Original) The apparatus of claim 35, wherein the security object data is received from a user via a user interface.

50. (Original) The apparatus of claim 49, wherein the user interface is a security object foundry application resident on a computing device.

51. (Original) The apparatus of claim 49, wherein the user interface is an interface transmitted from a server apparatus to a client apparatus.

52. (Cancelled)